

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	170	(712/202).CQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/15 22:08
L2	270	(719/312).CQLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/15 22:08
L3	306	(719/314).CQLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/15 22:09
L4	1177	(719/315).CQLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/15 22:09
L5	0	((SHAVIT-NIRS) and (AGESEN-OLE\$) and (DETLEFS-DAVID\$) and (FLOOD- CHRISTINE\$) and (GARTHWAITE- ALEXANDER\$) and (MARTIN-PAUL\$) and (STEELE-GUY\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/15 22:09
L6	0	((SHAVIT\$) and (AGESEN\$) and (DETLEFS\$) and (FLOOD\$) and (GARTHWAITE\$) and (MARTIN\$) and (STEELE\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/02/15 22:09
L7	0	(circular near4 array \$1) near4 ((front and back) near4 point\$3) near4 (compar\$5 near4 swap\$5)	USPAT	OR	OFF	2009/02/15 22:09
L8	0	(circular near4 array \$1) with ((front and back) near4 point\$3) with (compar\$5 near4 swap\$5)	USPAT	OR	OFF	2009/02/15 22:09
L9	0	((circular near4 array \$1) with ((front and back) near4 point\$3)) same (compar\$5 near4 swap\$5)	USPAT	OR	OFF	2009/02/15 22:10

L10	0	((circular near4 array \$1) same ((front and back) near4 point\$3)) same (compar\$5 near4 swap\$5)	USPAT	OR	OFF	2009/02/15 22:10
L11	0	(array\$1 same ((front and back) near4 point \$3)) same (compar\$5 near4 swap\$5)	USPAT	OR	OFF	2009/02/15 22:10
L12	0	(array\$1 same ((front and back) with point \$3)) same (compar\$5 near4 swap\$5)	USPAT	OR	OFF	2009/02/15 22:10
L13	0	(array\$1 same ((front and back) with point \$3)) same (compar\$5 with swap\$5)	USPAT	OR	OFF	2009/02/15 22:10
L14	0	(array\$1 same ((front and back) with point \$3)) and (compar\$5 with swap\$5)	USPAT	OR	OFF	2009/02/15 22:10
L15	0	(circular near4 array \$1) near4 ((front and back) near4 point\$3) near4 (compar\$5 near4 swap\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 22:12
L16	0	(circular near4 array \$1) with ((front and back) near4 point\$3) with (compar\$5 near4 swap\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 22:13
L17	0	((circular near4 array \$1) with ((front and back) near4 point\$3)) same (compar\$5 near4 swap\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 22:13
L18	0	((circular near4 array \$1) same ((front and back) near4 point\$3)) same (compar\$5 near4 swap\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 22:13
L19	0	(array\$1 same ((front and back) near4 point \$3)) same (compar\$5 near4 swap\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 22:13

L20	0	((array\$1 same ((front and back) with point \$3)) same (compar\$5 near4 swap\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 22:13
L21	0	((array\$1 same ((front and back) with point \$3)) same (compar\$5 with swap\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 22:13
L22	0	((array\$1 same ((front and back) with point \$3)) and (compar\$5 with swap\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/15 22:13
L23	0	((circular near4 array \$1) near4 ((front and back) near4 point\$3) near4 (compar\$5 near4 swap\$5)).clm.	US-PGPUB; USPAT	OR	OFF	2009/02/15 22:16
L24	0	((circular near4 array \$1) with ((front and back) near4 point\$3) with (compar\$5 near4 swap\$5)).clm.	USPAT	OR	OFF	2009/02/15 22:16
L25	0	((circular near4 array \$1) with ((front and back) near4 point\$3)) same (compar\$5 near4 swap\$5)).clm.	USPAT	OR	OFF	2009/02/15 22:16
L26	0	((circular near4 array \$1) same ((front and back) near4 point\$3)) same (compar\$5 near4 swap\$5)).clm.	USPAT	OR	OFF	2009/02/15 22:16
L27	0	((array\$1 same ((front and back) near4 point \$3)) same (compar\$5 near4 swap\$5)).clm.	USPAT	OR	OFF	2009/02/15 22:16
L28	0	((array\$1 same ((front and back) with point \$3)) same (compar\$5 near4 swap\$5)).clm.	USPAT	OR	OFF	2009/02/15 22:16
L29	0	((array\$1 same ((front and back) with point \$3)) same (compar\$5 with swap\$5)).clm.	USPAT	OR	OFF	2009/02/15 22:16

L30	0	((array\$1 same ((front and back) with point \$3)) and (compare\$5 with swap\$5)).clm.	USPAT	OR	OFF	2009/02/15 22:16
S1	109	(712/202).CCL.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/11/15 08:49
S2	1	"0366585"	USPAT; EPO; JPO	OR	OFF	2003/04/01 14:01
S3	8	(MAGGREGOR-DOUGLAS)".in"	USPAT; EPO; JPO	OR	OFF	2003/04/01 13:56
S4	2	(ARNOLD-MICHAEL-EDWARD)".in"	USPAT; EPO; JPO	OR	OFF	2003/04/01 13:58
S5	6	(ARNOLD-MICHAEL-E)".in"	USPAT; EPO; JPO	OR	OFF	2003/04/01 13:59
S6	19	(ARNOLD-MICHAEL)".in"	USPAT; EPO; JPO	OR	OFF	2003/04/01 14:00
S7	2	(ARNOLD-MICHAEL-Edward)".in"	USPAT; EPO; JPO	OR	OFF	2003/04/01 14:00
S8	0	"89480142.2"	USPAT; EPO; JPO	OR	OFF	2003/04/01 14:02
S9	2	ARNOLD-MICHAEL-EDWARD	USPAT; EPO; JPO	OR	OFF	2003/04/01 14:03
S10	1	("6223335").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2003/04/01 15:14
S11	1	("3886525").PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2003/04/01 17:46
S12	7	double adj1 compare adj2 swap	USPAT; EPO; JPO	OR	OFF	2003/04/01 17:46
S13	522	circular adj1 queue	USPAT; EPO; JPO	OR	OFF	2003/04/01 17:46
S14	88	(712/202).CCL.S.	USPAT; USOCR; EPO; JPO	OR	OFF	2004/04/19 12:07
S15	36	atomic adj1 (compare near4 swap)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/05 11:43
S16	0	atomic adj1 (dual near4 compare near4 swap)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/05 10:54
S17	0	(atomic adj1 (compare near4 swap)) near4 dual	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/05 10:54

S18	0	(atomic adj1 (compare near4 swap)) near4 multiple	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/05 10:54
S19	0	(atomic adj1 (compare near4 swap)) near4 array	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/05 11:44
S20	1	(atomic adj1 (compare near4 swap)) near4 queue	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/05 11:44
S21	2	(compare adj1 swap) near4 targets	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/16 12:50
S22	3	(compare adj1 swap) near4 (dual or multiple)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/16 12:50
S23	7	double adj1 (compare adj1 swap)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/16 12:55
S24	0	(array near4 (end near4 index)) with (double adj1 (compare adj1 swap))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/16 12:56
S25	0	(array near4 (end near4 index)) same (double adj1 (compare adj1 swap))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/16 12:56
S26	0	(array near4 (end near4 index)) same (compare adj1 swap)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/16 12:57
S27	64	(array near4 (end near4 index))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/16 12:57
S28	3	(array near4 (end near4 index)) near4 update\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/16 12:58
S29	1	(array near4 (end near4 index)) near4 pop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/16 13:01
S30	0	(pop or push) near4 (compare adj1 swap)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/16 13:01
S31	0	(pop or push) with (compare adj1 swap)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/16 13:01
S32	2	(pop or push) same (compare adj1 swap)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/16 13:01

S33	1	("4584640").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/04/19 11:57
S34	134	(712/202).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 10:43
S35	64	atomic adj1 (compare near4 swap)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 10:43
S36	3	(compare adj1 swap) near4 (dual or multiple)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 10:43
S37	6	(pop or push) same (compare adj1 swap)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 10:43
S38	12	double adj1 (compare adj1 swap)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 10:43
S39	85	(array near4 (end near4 index))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 10:44
S40	142	(712/202).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/10/11 13:26
S41	1	(compare adj1 swap) and (array near4 boundar\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/11 13:35
S42	10	(compare adj1 swap) with (empt\$5 or full\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/11 14:11
S43	43	(compare adj1 swap) same (empt\$5 or full \$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/10/11 14:12
S44	146	(712/202).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/08/20 08:15
S45	152	(712/202).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/20 08:15
S46	6	queue near4 array\$1 near4 end near4 (ind \$3 or point\$3 or element\$1 or item\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/08/20 08:24

S47	4	("20030120886"   "5873089"   "5925099"   "6609161").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/20 08:17
S48	5	("20030120886"   "5381528"   "6044418"   "6145061"   "6314494").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/20 08:22
S49	37	queue with array\$1 with end with (ind\$3 or point\$3 or element \$1 or item\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/08/20 08:30
S50	73	queue with array\$1 with next with (ind\$3 or point\$3 or element \$1 or item\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/08/20 08:30
S51	14	queue near4 array\$1 near4 next near4 (ind \$3 or point\$3 or element\$1 or item\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/08/20 08:30
S52	156	(712/202).CQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/18 17:02
S53	11	((double or multiple) near4 (end\$3 or index \$3) near4 (queue\$1 or list\$1)) with concurrent \$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/02/18 17:06
S54	8	("3686641"   "3886525"   "4847754"   "5222238"   "5797005"   "6247064"   "6360219"   "6374339").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/18 17:08
S55	0	((SHAVIT-NIRS) and (AGESEN-OLE\$) and (DETLEFS-DAVID\$) and (FLOOD- CHRISTINE\$) and (GARTHWAITE- ALEXANDERS\$) and (MARTIN-PAUL\$) and (STEELE-GUY\$)).in.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/18 17:15
S56	286	((double or multiple) near4 (end\$3 or index \$3) near4 (queue\$1 or list\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/02/18 17:15

S57	2	((double or multiple) near4 (end\$3 or index \$3) near4 (queue\$1 or list\$1)) same (concurrent\$3 near4 (add\$3 and remov\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/02/18 17:15
S58	216	(719/312).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/02/18 17:17
S59	237	(719/314).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/02/18 17:17
S60	1060	(719/315).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/02/18 17:17
S61	4	((end\$3 or index\$3) near4 (queue\$1 or list \$1)) same (concurrent \$3 near4 (add\$3 and remov\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/02/18 17:18
S62	11	((queue\$1 or list\$1)) same (concurrent\$3 near4 (add\$3 and remov\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/02/18 17:18
S63	529	((queue\$1 or list\$1)) with add\$3 with ((front \$1 or head\$1) and (back\$1 or tail\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/02/18 17:22
S64	405	((queue\$1 or list\$1)) with add\$3 with ((front \$1 or head\$1) with (back\$1 or tail\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/02/18 17:22
S65	109	((queue\$1 or list\$1)) near4 add\$3 near4 ((front\$1 or head\$1) near4 (back\$1 or tail \$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/02/18 17:23
S66	5	((queue\$1 or list\$1)) near4 add\$3 near4 ((front\$1 or head\$1) near4 (back\$1 or tail \$1)) near4 (both or together)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/02/18 17:23
S67	55	((queue\$1)) near4 add \$3 near4 ((head\$1) near4 (tail\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/02/18 17:25
S68	40	((list\$1)) near4 add\$3 near4 ((head\$1) near4 (tail\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/02/18 17:31



S69	5	(US-5710925-\$ or US-5745764-\$ or US-5805885-\$ or US-6240465-\$ or US-6243764-\$).did.	USPAT	OR	OFF	2008/02/18 18:48
S70	166	(712/202).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/07 10:16
S71	246	(719/312).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/07 10:16
S72	282	(719/314).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/07 10:16
S73	1118	(719/315).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/07 10:16
S74	0	((SHAVIT-NIR\$) and (AGESEN-OLE\$) and (DETLEFS-DAVID\$) and (FLOOD-CHRISTINE\$) and (GARTHWAITE-ALEXANDER\$) and (MARTIN-PAUL\$) and (STEELE-GUY\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/07 10:18
S75	0	((SHAVIT\$) and (AGESEN\$) and (DETLEFS\$) and (FLOOD\$) and (GARTHWAITE\$) and (MARTIN\$) and (STEELE\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/07 10:19
S76	0	(circular near4 array \$1) near4 ((front and back) near4 point\$3) near4 (compar\$5 near4 swap\$5)	USPAT	OR	OFF	2008/09/14 22:10
S77	0	(circular near4 array \$1) with ((front and back) near4 point\$3) with (compar\$5 near4 swap\$5)	USPAT	OR	OFF	2008/09/14 22:10
S78	0	((circular near4 array \$1) with ((front and back) near4 point\$3)) same (compar\$5 near4 swap\$5)	USPAT	OR	OFF	2008/09/14 22:11

S79	0	((circular near4 array \$1) same ((front and back) near4 point\$3)) same (compar\$5 near4 swap\$5)	USPAT	OR	OFF	2008/09/14 22:11
S80	0	(array\$1 same ((front and back) near4 point \$3)) same (compar\$5 near4 swap\$5)	USPAT	OR	OFF	2008/09/14 22:11
S81	0	(array\$1 same ((front and back) with point \$3)) same (compar\$5 near4 swap\$5)	USPAT	OR	OFF	2008/09/14 22:11
S82	0	(array\$1 same ((front and back) with point \$3)) same (compar\$5 with swap\$5)	USPAT	OR	OFF	2008/09/14 22:11
S83	0	(array\$1 same ((front and back) with point \$3)) and (compar\$5 with swap\$5)	USPAT	OR	OFF	2008/09/14 22:12

2/15/09 10:25:05 PM

C:\Documents and Settings\ALI\My Documents\EAST\Workspaces\09547288.wsp